

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	operat\$2 adj mode\$1 same (ROM "read-only") same (non-volatile nonvolatile) same programmable same comparator	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:43
S2	1	"operating mode" same (non-volatile nonvolatile) same programmable same comparator	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:47
S3	4	"operating mode" same programmable same comparator same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:48
S4	158	"operating mode" same comparator same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:49
S5	8	"operating mode" same comparator same predetermined same words	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:50
S6	4	"operating mode" same comparator same words same (matches identical)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:52
S7	1	"operating mode" same select\$3 and comparator same programmable same words same (matches identical)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:53
S8	9	"operating mode" same select\$3 and comparator same programmable same words	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:54
S9	10	"operating mode" same select\$3 and programmable and (nonvolatile non-volatile) and comparator same words	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:56
S10	5	"operating mode" same select\$3 and programmable same (nonvolatile non-volatile) and comparator same words	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 13:00
S11	35	operat\$3 near3 mode\$1 same select\$3 and programmable same (nonvolatile non-volatile) and comparator same words	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 15:21
S12	30	operat\$3 near3 mode\$1 same select\$3 and programmable same (nonvolatile non-volatile) and compar\$4 near3 words	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 15:49

EAST Search History

S13	16	operat\$3 near3 mode\$1 same select\$3 and programmable same (nonvolatile non-volatile) and compar\$4 near4 word\$1 same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 16:37
S14	15	operat\$3 near2 mode\$1 same select\$3 and programmable same (nonvolatile non-volatile) and compar\$4 near4 word\$1 same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:49
S15	0	each near3 (power\$3 near3 on) same (rewrit\$3 re-writ\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:51
S16	0	(power\$3 near3 on) same (rewrit\$3 re-writ\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:51
S17	0	(power\$3 near4 on) same (rewrit\$3 re-writ\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:51
S18	15	power\$3 same (rewrit\$3 re-writ\$3) same deactivated	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:56
S19	0	each near3 power\$3 same (rewrit\$3 re-writ\$3) near3 predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:57
S20	0	each near3 power\$3 same (rewrit\$3 re-writ\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:57
S21	0	"each time" near3 power\$3 same (rewrit\$3 re-writ\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:58
S22	43	(each every whenever) near3 power\$3 same (rewrit\$3 re-writ\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:05
S23	0	(each every whenever) near3 power\$3 same (rewrit\$3 re-writ\$3) near4 predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:58
S24	1233	power\$3 near5 (rewrit\$3 re-writ\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:06
S25	637	power\$3 near3 (rewrit\$3 re-writ\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:06
S26	8	power\$3 near3 re-writ\$3 and ferromagnetic same memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:13

EAST Search History

S27	1	power\$3 near3 rewrit\$3 and comparator same words and "byte-to-byte" and "bit-to-bit"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:15
S28	1	power\$3 near3 rewrit\$3 and compar\$4 same words and "byte-to-byte" and "bit-to-bit"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:16
S29	1	power\$3 near3 rewrit\$3 and compar\$4 same words and ("byte-to-byte" "byte to byte") and ("bit-to-bit" "bit to bit")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:16
S30	1	power\$3 near3 rewrit\$3 and ("byte-to-byte" "byte to byte") and ("bit-to-bit" "bit to bit")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:16
S31	9	power\$3 near3 rewrit\$3 and compar\$4 same words same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:19
S32	12	power\$3 near3 rewrit\$3 and compar\$4 same (bytes bits words) same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 17:06
S33	1	(each every) near2 power\$3 near4 rewrit\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 17:07
S34	1	(each every) near2 power\$3 near5 rewrit\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 17:08
S35	52	(each every) near2 power\$3 near5 (rewrit\$3 copi\$2 writ\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:17
S36	3	(each every) near3 power\$3 same (rewrit\$3 copi\$2 writ\$3) and ferromagnetic and (processor microprocessor) and software	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:18
S37	43	(each every) near3 power\$3 same (rewrit\$3 copi\$2 writ\$3) and (processor microprocessor) same software	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:23
S38	165	(each every) near4 power\$3 same (rewrit\$3 copi\$2 writ\$3) and (processor microprocessor) same (software program\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:24
S39	1	(each every) near4 power\$3 same (rewrit\$3 copi\$2 writ\$3) and (processor microprocessor) same (software program\$1) and (rewrit\$3 re-writ\$3).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:26

EAST Search History

S40	0	(each every) near4 power\$3 same (rewrit\$3 copi\$2 writ\$3) and (processor microprocessor) same (software program\$1) and (operating adj mode\$1).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:27
S41	0	(each every) near4 power\$3 same (rewrit\$3 copi\$2 writ\$3) and (processor microprocessor) and (operating adj mode\$1).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:27
S42	22	(each every) near4 power\$3 same (rewrit\$3 copi\$2 writ\$3) and (processor microprocessor) and (mode\$1).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:49
S43	9	comparator same compar\$2 near3 words and bytes same bits and threshold	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:50
S44	125	comparator same compar\$2 near3 words and threshold	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:50
S45	1	comparator same compar\$2 near3 words and threshold and byte\$1 same bit\$1 and mode\$1.ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:53
S46	3	comparator same compar\$2 near3 words same threshold and byte\$1 same bit\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:53
S47	125	comparator same compar\$2 near3 words and threshold	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:54
S48	18	comparator same compar\$2 near3 words and threshold and (operati\$3 adj mode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:54
S49	1	comparator and compar\$2 near2 words same threshold and (operati\$3 adj mode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:55
S50	25	comparator same compar\$2 near3 (lines words data) same threshold same predetermined and (operati\$3 adj mode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:56
S51	19	comparator and compar\$2 near2 (lines words data) same threshold same predetermined and mode\$1.ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:57
S52	35	comparator and compar\$2 near3 (lines words data bits bytes) same threshold same predetermined and mode\$1.ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:59

EAST Search History

S53	291	comparator and compar\$2 near3 (lines data bits bytes) same threshold same predetermined and mode\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:01
S54	5	comparator and compar\$2 near3 (lines data bits bytes) same threshold same predetermined same mode\$1 and (processor\$1 microprocessor\$1) and software	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:01
S55	15	comparator and compar\$2 near3 (lines data bits bytes) same threshold same predetermined same mode\$1 and (processor\$1 microprocessor\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:02
S56	35	comparator and compar\$2 near3 (lines data bits bytes) same threshold same predetermined same mode\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:42
S57	55	threshold same compared same 70% same 90%	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:03
S58	0	comparator and compar\$2 near3 (lines data bits bytes) same threshold same predetermined same deactivat\$3 same select\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:43
S59	0	comparator and compar\$2 near3 (lines data bits bytes) same threshold same predetermined same deactivat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:43
S60	0	comparator and compar\$2 near2 (words data) same threshold same predetermined same deactivat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:43
S61	2	comparator and compar\$2 near2 (words data) same threshold same predetermined same selection	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:44
S63	7	(compar\$2 near2 words) near3 threshold same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:47
S64	0	(compar\$2 near2 words) near3 threshold same select\$3 same mode\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:48
S65	0	(compar\$2 near2 words) near3 threshold same mode\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:48
S66	9	(compar\$2 near2 words) same threshold same mode\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:48

EAST Search History

S67	100	(compar\$2 near2 (data words)) near3 threshold same mode\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:52
S68	3	(compar\$2 near2 (data words)) near3 threshold same deactivat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:52
S69	28	(compar\$2 near2 (data words)) near3 threshold same (deactivat\$3 (turn\$3 adj off))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:54
S71	19	(compar\$2 near2 (data words)) same threshold same predetermined same (deactivat\$3 cancel\$4 (turn\$3 adj off))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:55
S72	8	(compar\$2 near2 (data words)) same threshold same predetermined same (deactivat\$3 de-activat\$3 cancel\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:56
S73	1105	(compar\$2 near2 (data words)) same threshold same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:57
S74	22	(compar\$2 near2 (data words)) same threshold same predetermined and lock\$3 same mode\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:58
S75	86	(compar\$2 near2 (data words)) same threshold same predetermined same mode\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:07
S76	1	comparator same (data words) same threshold same predetermined and "reserved modes"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:10
S77	1	comparator same (data words) same threshold same predetermined and reserved adj modes\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:16
S78	34	comparator same (data words) same threshold near2 (predetermined programmable) and writ\$3 same intervals and mode\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:18
S79	1	comparator same (data words) same threshold near2 (predetermined programmable) and (writ\$3 rewrit\$3) near3 intervals and mode\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:19
S80	4	comparator same (data words) same threshold near2 (predetermined programmable) and (writ\$3 rewrit\$3) near3 intervals	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:19

EAST Search History

S81	94	comparator same (data words) same threshold near2 (predetermined programmable) and mode\$1.ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:20
S82	5	comparator same compar\$2 near2 (data words) same threshold near2 (predetermined programmable) and mode\$1.ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:20
S83	0	comparator same compar\$2 near2 (data words) same threshold near2 (predetermined programmable) and "365"/\$3.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:21
S84	24	comparator same (data words) same threshold near2 (predetermined programmable) and "365"/\$3.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:23
S85	24	comparator same (data words) same threshold near3 (predetermined programmable) and "365"/\$3.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:24
S86	2	comparator same (data words) same threshold same predetermined same programmable and "365"/\$3.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:25
S87	46	comparator same (data words) same threshold same predetermined same programmable	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:27
S88	26	comparator same (data words) same threshold same (predetermined programmable) and (writ\$3 rewrit\$3) near3 (intervals cycles)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:29
S89	85	comparator same (data words) same threshold near3 programmable	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:30
S90	280	comparator same (data words) same threshold near3 (program\$5 specif\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:56
S91	194	"operating mode" same "selection signal"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:57
S92	2	"operating mode" same "selection signal" same otherwise	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:57
S93	17	"operating mode" same "selection signal" same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:58

EAST Search History

S94	31	"operating mode" same "selection signal" and "365"/\$3.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:05
S95	2	"operating mode" same "selection signal" and "ferromagnetic memory"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:05
S96	2	"operating mode" same "selection signal" and ferromagnetic same memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:05
S97	2	"operating mode" same "selection signal" and ferromagnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:06
S98	10	"operating mode" same "selection signal" same deactivat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:08
S99	2	"operating mode" same modes same "selection signal" same deactivat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:10
S10 0	2	operating adj mode\$1 same "selection signal" same deactivat\$3 and (reserved adj mode\$1) and (user adj mode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:11
S10 1	2	operating adj mode\$1 same "selection signal" and (reserved adj mode\$1) and (user adj mode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:11
S10 2	2	operating adj mode\$1 same "selection signal" and (reserved adj mode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:12
S10 3	1	operating adj mode\$1 same "selection signal" and "test modes" same "user modes"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:59
S10 4	89	power\$3 same rewrit\$3 and rewrit\$3 near3 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:01
S10 5	4	power\$3 near5 rewrit\$3 and rewrit\$3 near3 (intervals periodically) same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:01
S10 6	9	power\$3 near5 (writ\$3 rewrit\$3) and rewrit\$3 near3 (intervals periodically) same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:02
S10 7	12	power\$3 near5 (writ\$3 rewrit\$3) and rewrit\$3 near5 (intervals periodically) same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:02
S10 8	53	power\$3 near3 (writ\$3 rewrit\$3) and rewrit\$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:06

EAST Search History

S10 9	0	((every each) near3 power\$3) near5 (writ\$3 rewrit\$3) and rewrit\$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:04
S11 0	0	((every each) near3 power\$3) same (writ\$3 rewrit\$3) and rewrit\$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:04
S11 1	70	power\$3 near5 (writ\$3 rewrit\$3) and rewrit\$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:06
S11 2	70	(power\$3 "turned on") near5 (writ\$3 rewrit\$3) and rewrit\$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 18:19
S11 3	0	"turned on" near4 (writ\$3 rewrit\$3) and rewrit\$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:08
S11 4	0	"turned on" near5 (writ\$3 rewrit\$3) and rewrit\$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:08
S11 5	0	"switched on" near5 (writ\$3 rewrit\$3) and rewrit\$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:08
S11 7	368	enabl\$3 adj rewrit\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 18:21
S11 8	30	enabl\$3 adj rewrit\$3 and "365"/\$3. ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 18:22
S11 9	7	enabl\$3 adj rewrit\$3 and "365"/\$3. ccls. and ferromagnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 10:19
S12 0	1	enabl\$3 adj rewrit\$3 and "365"/\$3. ccls. and ferromagnetic and lock\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 09:36
S12 1	6	("bit to bit" "bit-to-bit") and ("byte to byte" "byte-to-byte")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 10:21
S12 2	211	("bit to bit" "bit-to-bit" "bit by bit" "bit-by-bit") and ("byte to byte" "byte-to-byte" "byte by byte" "byte-by-byte")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 10:21
S12 3	102	("bit to bit" "bit-to-bit" "bit by bit" "bit-by-bit") same ("byte to byte" "byte-to-byte" "byte by byte" "byte-by-byte")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 10:21

EAST Search History

S12 4	14	("bit to bit" "bit-to-bit" "bit by bit" "bit-by-bit") same ("byte to byte" "byte-to-byte" "byte by byte" "byte-by-byte") same compar\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 10:22
----------	----	--	------------------------------	----	-----	------------------